

CỤC ĐĂNG KIỂM VIỆT NAM - VIETNAM REGISTER PHÒNG TÀU BIỂN

SEA-GOING SHIP CLASSIFICATION AND REGISTRY DEPARTMENT

ĐỊA CHỈ ADDRESS

18 PHAM HUNG. HA NOI

TEL: (84) 4 7684701 FAX: (84) 4 7684722 Web site: www.vr.org.vn

THÔNG BÁO KỸ THUẬT- TECHNICAL INFORMATION

Ngày 07 tháng 12 năm 2007 Số thông báo: 044KT/07TB

Nội dung: Thông tư MSC.1/Circ.1252 của IMO về hướng dẫn đối với việc thử hàng năm Hệ thống nhận dạng tự động (AIS).

Kính gửi: Các Chủ tàu/ Công ty quản lý tàu Các Công ty vô tuyến điện tử hàng hải Các Chi cục Đăng kiểm tàu biển

Ngày 22 tháng 10 năm 2007, Uỷ ban An toàn Hàng hải (MSC) của Tổ chức Hàng hải quốc tế (IMO) đã ban hành Thông tư MSC.1/Circ.1252 về hướng dẫn đối với việc thử hàng năm Hệ thống nhận dạng tự động (AIS).

Chúng tôi xin gửi đến các Quý Cơ quan, kèm theo Thông báo kỹ thuật này, Thông tư MSC.1/Circ.1252 của IMO và và đề nghị các Quý Cơ quan lưu ý thực hiện theo đúng quy định.

Thông báo kỹ thuật này được nêu trong mục: *Thông báo của VR/ Thông báo kỹ thuật TB* của trang tin điện tử của Cục Đăng kiểm Việt Nam: http://www.vr.org.vn

Nếu Quý cơ quan cần thêm thông tin về vấn đề nêu trên, đề nghị vui lòng liên hê:

Cục Đăng kiểm Việt Nam, Phòng Tàu biển

Địa chỉ: 18 Phạm Hùng, Từ Liêm, Hà Nội

Điện thoại: + 4 7684701 (số máy lẻ: 521)

Fax: +4 7684722

Thư điện tử: hainv@vr.org.vn

Xin gửi đến các Quý Cơ quan lời chào trân trọng.

TRƯỞNG PHÒNG TÀU BIỂN

Nơi nhân:

-Như trên

-QP, CTB, CN, VRQC, MT

-Luu TB

Nguyễn Vũ Hải

INTERNATIONAL MARITIME ORGANIZATION

4 ALBERT EMBANKMENT LONDON SE1 7SR

Telephone: 020 7735 7611 Fax: 020 7587 3210



E

Ref. T1/10 MSC.1/Circ.1252 22 October 2007

GUIDELINES ON ANNUAL TESTING OF THE AUTOMATIC IDENTIFICATION SYSTEM (AIS)

- 1 The Maritime Safety Committee, at its eighty-third session (3-12 October 2007), approved the Guidelines on annual testing of the Automatic Identification System (AIS) developed by the Sub-Committee on Flag State Implementation, as set out in the annex.
- The purpose of an annual testing is to determine that AIS is operational as defined in appropriate performance standards not inferior to those adopted by the Organization*.
- 3 To assist in achieving this aim, it is recommended that all AIS be subject to a standard method of testing as detailed in the annexed Guidelines.
- 4 Member Governments are invited to bring these Guidelines to the attention of shipping companies, shipowners, ship operators, equipment manufacturers, recognized organizations, shipmasters and all parties concerned.

_

Refer to Recommendation on performance standards for a universal shipborne automatic identification system (AIS) (resolution MSC.74(69), annex 4).

ANNEX

GUIDELINES ON ANNUAL TESTING OF THE AUTOMATIC IDENTIFICATION SYSTEM (AIS)

- The annual testing of the automatic identification system (AIS) should be carried out by a qualified radio inspector authorized by the administration or a recognized organization.
- 2 The annual testing of the AIS installation should include:
 - .1 installation details including antenna layout, initial configuration report, interconnection diagrams, provision of the pilot plug and power supply arrangements;
 - .2 checking the correct programming of the ships static information;
 - .3 the ability of the AIS to receive ships dynamic information from the appropriate sensors;
 - .4 the ability to correctly input the ships voyage related data;
 - .5 a performance test of the equipment including radio frequency measurements; and
 - an on-air test that the unit is working correctly using for example an appropriate Vessel Traffic Service (VTS) station or a suitable test equipment.
- 3 To accommodate performance test to align with the appropriate survey under the Harmonized System of Survey and Certification (HSSC), the annual testing may be carried out:
 - .1 up to 3 months before the due date of the passenger ship renewal survey or the cargo ship safety equipment renewal survey; and
 - 3 months before or after the due date of the cargo ship safety equipment periodical/annual survey (the maximum period between subsequent test is governed by the time window associated to the subsequent surveys, unless either certificate has been extended as permitted by SOLAS regulation I/14, in which case a similar extension may be granted by the Administration).
- The annual testing should be recorded in the form of the model test report given in the appendix. If the language used is neither English, nor French, nor Spanish, the text should include a translation into one of these languages. A copy of the test report should be retained on board the ship.

MSC.1/Circ.1252 ANNEX Page 2

APPENDIX

AUTOMATIC IDENTIFICATION SYSTEM (AIS) TEST REPORT

Name	of ship/call sign:					
MMS	I number:					
Port of registry:						
	IMO Number:					
Gross	Gross tonnage:					
	reel laid:					
1.	Installation details					
	Item	Status				
1.1	AIS transponder type:					
1.2	Type approval certificate					
1.3	Initial installation configuration report on board?					
1.4	Drawings provided? (Antenna-, AIS-arrangement and block diagram)					
1.5	Main source of electrical power,					
1.6	Emergency source of electrical power,					
1.7	Capacity to be verified if the AIS is connected to a battery					
1.8	Pilot plug near pilots operating position?					
1.9	120 V AC provided near pilot plug? (Panama and St. Lawrence requirement)					
1.7	120 v 110 provided near prior prag. (1 anama and 5t. Eastrenee requirement)					
2.	AIS programming – Static information					
2.1	MMSI number					
2.2	IMO number					
2.3	Radio call sign					
2.4	Name of ship					
2.5	Type of ship					
2.6	Ship length and beam					
2.7	Location of GPS antenna					
2.7	2.1 Location of Gr 5 antenna					
3.	AIS programming – Dynamic information					
3.1	Ships position with accuracy and integrity status (Source: GNSS)					
3.2	Time in UTC (Source: GNSS)					
3.3	Course over ground (COG) (will fluctuate at dockside) (Source GNSS)					
3.4	Speed over ground (SOG) (zero at dockside) (Source: GNSS)					
3.5	Heading (Source: Gyro)					
3.6	Navigational status					
3.7	Rate of turn, where available (ROT)					
3.8	Angle of heel, pitch and roll, where available					
7.11gle of ficer, pitch und fori, where uvaluate						
4. AIS programming – voyage related information						
4.1	Ships draught					
4.2	Type of cargo					
4.3	Destination and ETA (at masters discretion)					
4.4	Route plan (optional)					
4.5	Short safety-related messages					
<u> </u>	onor surely related messages					

	P. C				
5. 5.1	Performance test using me				
5.1		AIS ch. 1 and 2, GMDSS ch. 70			
5.2	Transmitting output, AIS ch. 1 and 2, GMDSS ch. 70				
5.3 5.4	Polling information ch. 70				
5.4	Read data from AIS				
5.5	Send data to AIS				
5.6	Check AIS response to "vi	rtual vessels"			
	1				
6.	"On air" performance test				
6.1	Check reception performar	nce			
6.2		signal from other ship/VTS			
6.3	Polling by VTS/shore insta	allation			
0.5	Toming by Visione mate		l		
Electromagnetic interference from AIS observed to other installations?:					
Rema	rke				
Kema	II KS.				
The AIS has been tested according to IMO SN/Circ.227 and resolution MSC.74(69), annex 3					
Name	e of Radio Inspector	Date and place	Name of Radio Inspector		
1 vallic	of Radio mapeetor	Bate and place	Company		
			Company		